

Applicant: Zhaoqing Beryl Electronic Technology Co., Ltd

No.2 Plant Area, West of Duanzhou 8th Road,

South of Zhaoqing Avenue, Duanzhou District, Zhaoqing City,

Guangdong Province, P. R. China

Sample Description:

The following submitted samples said to be part used for:

Item Name : Polymer Aluminum electrolytic capacitors

Model No. : Radial Type

Material : AL

Date of Sample Received : May 11, 2022

Testing Period : May 11, 2022 to May 24, 2022

Tests conducted:

As requested by the applicant, refer to following pages for details.

Intertek Testing Services Shenzhen Ltd. Guangzhou Branch:

Prepared by:

Hay that.

Hay Zhao Engineer Reviewed by:

Michael Pang

Asst. Technical Supervisor



Report No.: 220506132GZU-005 Date: May 26, 2022 **Test Report** 

#### Conclusion:

Tested Sample	Standard	Result
Tested components of submitted sample	Restriction of the use of certain hazardous substance in electrical and electronic equipment (RoHS Directive 2011/65/EU and (EU) 2015/863)	Pass
	AfPS GS 2019:01 PAK (PAH) on Polycyclic Aromatic Hydrocarbons (PAHs) Content	See Test Conducted 2
	Test Item	Result
	Perfluorooctane Sulfonates (PFOS) Content	See Test Conducted 3
	Metal Element Content	See Test Conducted 4
	Phthalate Content	See Test Conducted 5
	Halogen (F, Cl, Br, I) Content	See Test Conducted 6
	Tetrabromobisphenol A (TBBPA) Content:	See Test Conducted 7
	Sulphur(S) Content	See Test Conducted 8



Tests conducted:

## Tested sample:

- (1) Grey metal(2) Silver color metal with grey coating

- (2) Silver color metal
  (3) Silver color metal
  (4) Silver color metal
  (5) White paper
  (6) Black plastic
  (7) Yellow cellotape
  (8) Dark blue liquid
  (9) Blue wet point
- (9) Blue wet paint



## **RoHS Chemical Test**

(A)Test Result Summary:

Test Item		Res	sult (mg/	/kg)	
rest item	(5)	(6)	(7)	(8)	(9)
Cadmium (Cd) Content	ND	ND	ND	ND	ND
Lead (Pb) Content	ND	ND	ND	ND	ND
Mercury (Hg) Content	ND	ND	ND	ND	ND
Chromium (VI)(Cr <sup>6+</sup> ) Content	ND	ND	ND	ND	ND
Sum of Polybrominated Biphenyls (PBBs)	ND	ND	ND	ND	ND
Monobromobiphenyl (MonoBB)	ND	ND	ND	ND	ND
Dibromobiphenyl (DiBB)	ND	ND	ND	ND	ND
Tribromobiphenyl (TriBB)	ND	ND	ND	ND	ND
Tetrabromobiphenyl (TetraBB)	ND	ND	ND	ND	ND
Pentabromobiphenyl (PentaBB)	ND	ND	ND	ND	ND
Hexabromobiphenyl (HexaBB)	ND	ND	ND	ND	ND
Heptabromobiphenyl (HeptaBB)	ND	ND	ND	ND	ND
Octabromobiphenyl (OctaBB)	ND	ND	ND	ND	ND
Nonabromobiphenyl (NonaBB)	ND	ND	ND	ND	ND
Decabromobiphenyl (DecaBB)	ND	ND	ND	ND	ND
Sum of Polybrominated Diphenyl Ethers (PBDEs)	ND	ND	ND	ND	ND
Monobromodiphenyl Ether (MonoBDE)	ND	ND	ND	ND	ND
Dibromodiphenyl Ether (DiBDE)	ND	ND	ND	ND	ND
Tribromodiphenyl Ether (TriBDE)	ND	ND	ND	ND	ND
Tetrabromodiphenyl Ether (TetraBDE)	ND	ND	ND	ND	ND
Pentabromodiphenyl Ether (PentaBDE)	ND	ND	ND	ND	ND
Hexabromodiphenyl Ether (HexaBDE)	ND	ND	ND	ND	ND
Heptabromodiphenyl Ether (HeptaBDE)	ND	ND	ND	ND	ND
Octabromodiphenyl Ether (OctaBDE)	ND	ND	ND	ND	ND
Nonabromodiphenyl Ether (NonaBDE)	ND	ND	ND	ND	ND
Decabromodiphenyl Ether (DecaBDE)	ND	ND	ND	ND	ND
Phthalates					
Bis(2-ethylhexyl) phthalate (DEHP)	ND	ND	ND	ND	ND
Butyl benzyl phthalate (BBP)	ND	ND	ND	ND	ND
Dibutyl phthalate (DBP)	ND	ND	ND	ND	ND
Diisobutyl phthalate (DIBP)	ND	ND	ND	ND	ND

Testing Item	Result						
resuing item	(1)	(2)	(3)	(4)			
Cadmium (Cd) Content (mg/kg)	ND	ND	ND	ND			
Lead (Pb) Content (mg/kg)	ND	ND	ND	ND			
Mercury (Hg) Content (mg/kg)	ND	ND	ND	ND			
Chromium (VI)(Cr <sup>6+</sup> ) Result (By Boiling Water Extraction on Metal)(µg/cm <sup>2</sup> )	Negative	Negative	Negative	Negative			

ND = Not detected

mg/kg= milligram per kilogram

Negative = The Cr (VI) concentration is less than 0.10  $\mu$ g/cm<sup>2</sup>. The sample is negative for Cr (VI).

Page 4 of 17



## (B) RoHS Requirement:

Restricted Substances	Limits
Cadmium (Cd)	0.01% (100 mg/kg)
Lead (Pb)	0.1% (1000 mg/kg)
Mercury (Hg)	0.1% (1000 mg/kg)
Chromium (VI) (Cr <sup>6+</sup> )	0.1% (1000 mg/kg)
Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)
Phthalates(DEHP, BBP, DBP, DIBP)	0.1% (1000 mg/kg)


The above limits were quoted from 2011/65/EU and (EU) 2015/863 for homogeneous material.

## (C) Test Method:

Testing Item	Testing Method	<b>Detection Limit</b>
Cadmium (Cd) Content	With reference to IEC 62321-5 Edition 1.0:2013, by acid digestion and determined by ICP - OES	2 mg/kg
Lead (Pb) Content	With reference to IEC 62321-5 Edition 1.0:2013, by acid digestion and determined by ICP - OES	2 mg/kg
Mercury (Hg) Content	With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and determined by ICP - OES	2 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321-7-2 Edition 1.0:2017, Hexavalent chromium – Determination of hexavalent chromium (Cr(VI) in polymers and electronics by the colorimetric method	10 mg/kg
Chromium (VI)(Cr <sup>6+</sup> ) Content	With reference to IEC 62321-7-1 edition 1.0:2015, by boiling water extraction and determined by UV-VIS spectrophotometer	0.10 μg/cm <sup>2</sup>
Polybrominated Biphenyls (PBBs)& Polybrominated Diphenyl Ethers (PBDEs)	With reference to IEC 62321-6 Edition 1.0:2015, by solvent extraction and determined by GC/MS and further HPLC confirmation when necessary	5 mg/kg
Phthalates(DEHP, BBP, DBP, DIBP) Content	With reference to IEC 62321-8 Edition 1.0:2017,by solvent extraction and determined by GC/MS	100mg/kg



**Test Report** Report No.: 220506132GZU-005 Date: May 26, 2022 (D)Measurement Flowchart: 1. Test for Cd/Pb Contents







Report No.: 220506132GZU-005 Date: May 26, 2022 **Test Report** 

3. Test for Chromium (VI) (Cr6+) Content

#### Soluble polymers:




Insoluble/unknown polymers and electronics without Sb:






4. Test for Chromium (VI) (Cr<sup>6+</sup>) Content (Boiling Water Extraction)




5. Test for PBBs/PBDEs Contents





#### 6. Test for Phthalate Contents





### Polycyclic Aromatic Hydrocarbons (PAHs) Content

With reference to AfPS GS 2019:01 PAK (PAH), by solvent extraction and determined by Gas Chromatography - Mass Spectrometer (GC/MS).

#### (I) Test Result

#### Other consumer products:

			Res	sult (mg	/kg)		Limit (mg/kg)		
Compound	CAS No.	<u>(5)</u>	<u>(6)</u>	<u>(7)</u>	<u>(8)</u>	<u>(9)</u>	Category 1	Category 2b	Category 3b
Phenanthrene	85-01-8	ND	ND	ND	ND	ND			
Anthracene	120-12-7	ND	ND	ND	ND	ND			
Fluoranthene	206-44-0	ND	ND	ND	ND	ND			
Pyrene	129-00-0	ND	ND	ND	ND	ND			
Sum (4 PAHs):		ND	ND	ND	ND	ND	1	10	50
Naphthalene	91-20-3	ND	ND	ND	ND	ND	1	2	10
Benzo(a)Anthracene	56-55-3	ND	ND	ND	ND	ND	0.2	0.5	1
Chrysene	218-01-9	ND	ND	ND	ND	ND	0.2	0.5	1
Indeno(1,2,3-cd)Pyrene	193-39-5	ND	ND	ND	ND	ND	0.2	0.5	1
Benzo(b)Fluoranthene	205-99-2	ND	ND	ND	ND	ND	0.2	0.5	1
Benzo(k)Fluoranthene	207-08-9	ND	ND	ND	ND	ND	0.2	0.5	1
Benzo(a)Pyrene	50-32-8	ND	ND	ND	ND	ND	0.2	0.5	1
Dibenzo(a,h)Anthracene	53-70-3	ND	ND	ND	ND	ND	0.2	0.5	1
Benzo(g,h,i)Perylene	191-24-2	ND	ND	ND	ND	ND	0.2	0.5	1
Benzo(e)Pyrene	192-97-2	ND	ND	ND	ND	ND	0.2	0.5	1
Benzo(j)Fluoranthene	205-82-3	ND	ND	ND	ND	ND	0.2	0.5	1
Sum (15 PAHs):		ND	ND	ND	ND	ND	1	10	50

ND = Not detected (less than reporting limit) Detected limit = 0.2 mg/kg

## (II) Categories for Products

Parameter	Product
Category 1	Materials intended to be put into the mouth, or materials in toys according to Directive 2009/48 / EC or materials in articles for use by children up to three years of age Skin contact (longer than 30s) when used as intended
Category 2	Materials that are not covered by category 1, with prolonged skin contact (longer than 30s) or repeated short-term skin contact if used as intended or foreseeable  2a. used by children  2b. other consumer products
Category 3	Materials that are not covered by category 1 or 2, with short-term skin contact (up to 30 s) when used as intended or foreseeable 3a. used by children 3b. other consumer products





#### 3. Perfluorooctane Sulfonates (PFOS) Content

With reference to CEN/TS 15968:2010, solvent extraction was used and followed by Liquid Chromotography Mass Spectrometric (LCMS) analysis.

	Result # (mg/kg)					Detected	
Test item		Tested component				limit	
	<u>(5)</u>	<u>(6)</u>	<u>(7)</u>	<u>(8)</u>	<u>(9)</u>	(mg/kg)	
Perfluorooctane Sulfonates (PFOS)	ND	ND	ND	ND	ND	1	

ND = Not detected

# = The reported value was calculated by summation of the values of Perfluoroctanesulfonic acid, Perfluoroctanesulfonamide, N-Methyl-Perfluoroctanesulfonamide, N-Ethyl-Perfluoroctanesulfonamidoethanol and N-Ethyl-Perfluoroctanesulfonamidoethanol.

### 4. Metal Element Content Analyze

Acid digestion method was used and inorganic metal element content was determined by Inductively Coupled Argon Plasma Spectrometry.

E	Detected limit		Result(	mg/kg <u>)</u>	
Element	(mg/kg)	<u>(1)</u>	<u>(2)</u>	<u>(3)</u>	<u>(4)</u>
Antimony (Sb)	10	ND	ND	ND	ND
Arsenic (As)	10	ND	ND	30	ND
Beryllium (Be)	10	ND	ND	ND	ND

ND = Not detected



## 5. Phthalate Content

With reference to EN14372, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

				esult (		Detected limit	
<u>Test item</u>	CAS No.				omponent		(%)
		<u>(5)</u>	<u>(6)</u>	<u>(7)</u>	<u>(8)</u>	<u>(9)</u>	(70)
Dipentyl phthalate (DPP)	131-18-0	ND	ND	ND	ND	ND	0.010
Di-isopentylphthalate (DIPP)	605-50-5	ND	ND	ND	ND	ND	0.010
n-pentyl iso-pentylphthalate (PIPP)	776297-69-9	ND	ND	ND	ND	ND	0.010
Bis(2-methoxyethyl)phthalate (BMEP/DMEP)	117-82-8	ND	ND	ND	ND	ND	0.010
1,2-Benzenedicarboxylic acid, di-C <sub>6-8</sub> -branched alkyl esters, C <sub>7</sub> -rich (DIHP)	71888-89-6	ND	ND	ND	ND	ND	0.010
1,2-Benzenedicarboxylic acid,di-C7-11- branched and linear alkyl esters (DHNUP)	68515-42-4	ND	ND	ND	ND	ND	0.010
Di-(iso-butyl) phthalate (DIBP)	84-69-5	ND	ND	ND	ND	ND	0.010
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND	0.010
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	ND	ND	0.010
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	ND	ND	0.010
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	ND	ND	ND	ND	ND	0.010
1,2-benzenedicarboxylic acid, di-C6- 10-alkyl esters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5	ND	ND	ND	ND	ND	0.010
1,2-benzenedicarboxylic acid, di-C6- 10-alkyl esters or mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68648-93-1	ND	ND	ND	ND	ND	0.010
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	ND	ND	ND	ND	ND	0.010
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND	ND	ND	ND	0.010
Dicyclohexyl phthalate(DCHP)	84-61-7	ND	ND	ND	ND	ND	0.010
Diisohexyl phthalate	71850-09-4	ND	ND	ND	ND	ND	0.010
di-n-octyl phthalate (DNOP)	117-84-0	ND	ND	ND	ND	ND	0.010
Di-iso-decyl phthalate (DIDP)	26761-40-0						
1,2-Benzenedicarboxylic acid, di-C9- 11-Branched alkyl esters, C10- Rich(DIDP)	68515-49-1	ND	ND	ND	ND	ND	0.010
Di-iso-nonyl phthalate (DINP)	28553-12-0						
1,2-Benzenedicarboxylic acid, di-C8- 10-branched alkyl esters, C9- rich(DINP)	68515-48-0	ND	ND	ND	ND	ND	0.010

ND = Not detected

% = Percentage based on dry weight of sample





## 6. Halogen Content

(1) Test Result Summary:

		Result (mg/kg)						
<u>Test item</u>		Tested component						
	<u>(5)</u>	<u>(6)</u>	(7)	(8)	<u>(9)</u>			
Fluorine (F) Content	ND	314	ND	ND	184			
Chlorine (CI) Content	115	ND	ND	ND	159			
Bromine (Br) Content	ND	ND	ND	ND	ND			
Iodine (I) Content	ND	ND	ND	ND	ND			

ND= Not detected


(2) Test Method:

Testing Item	Testing Method	Detected limit
	With reference to BS EN 14582:2016, by calorimetric bomb and determined by Ion Chromatography	50 mg/kg



(3) Measurement Flowchart:

Test for Halogen Content (Reference Method: BS EN 14582:2016)





### Tetrabromobisphenol A (TBBPA) Content:

With reference to DIN 53313, by solvent extraction and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Tested Component	Result (mg/kg)	Detected limit (mg/kg)
(5)	ND	10
(6)	ND	10
(7)	ND	10
(8)	ND	10
(9)	ND	10

ND= Not detected

#### 8. Sulphur (S) content


With reference to BS EN 14582:2016, by calorimetric bomb and determined by Ion Chromatography.


Element	Detected limit	Result (mg/kg)	
	<u>(mg/kg)</u>	<u>(6)</u>	(7)
Sulphur(S)	10	455	ND


ND= Not detected





# Sample photo



























#### End of report

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Page 17 of 1